

1/6






Figure 1

Figure 2: Release profile of MNIPD in aqueous solutions  
at pH 7




2/6

**Figure 3: Release profile of simvastatin in aqueous solutions at pH 7**




**Figure 4: Release Profile of Simvastatin From Bisphosphonate Derivative of PPO-PEG 10050 in pH 7.0**




3/6

**Figure 5: Release profile of paclitaxel from multiarm block copolymers in aqueous solution at pH 7.0**




**Figure 6: Release profile of Indomethacin in aqueous solutions at pH 7**




4/6

**Figure 7: Release Profile of Pivaloxymethyl butyrate in aqueous solutions at pH 7**




**Figure 8: Release profile of cyclosporin A solubilized by 8-arm-PCL-PEG<sub>2</sub><sub>6kDa</sub> in phosphate buffer (pH 7.0) at 37 deg. C**




5/6

**Figure 9: Release profile of paclitaxel solubilized by 8-arm-PCL-PEG<sub>26kDa</sub> in phosphate buffer (pH 7.0) at 37 deg. C**




**Figure 10: Response of SC NCI-H460 Lung Tumor to Treatment with UM-Paclitaxel and Taxol®**



6/6

**HG[PCL-PEG3k2] by dialysis (Combined)**

**Effective Diameter:** 19.6 nm  
**Polydispersity:** 0.064  
**Avg. Count Rate:** 71.3 kcps  
**Sample Quality:** 9.3/100.00%  
**Elapsed Time:** 00:12:00



Run	Eff. Diam. (nm)	Half Width (nm)	Polydispersity	Sample Quality
1	20.1	5.5	0.075	8.6 / 100.00%
2	19.7	5.7	0.082	9.3 / 100.00%
3	19.3	5.4	0.077	9.7 / 100.00%
4	19.1	5.5	0.082	9.6 / 100.00%
5	19.5	3.9	0.040	8.8 / 100.00%
6	19.5	4.1	0.044	9.7 / 100.00%
Mean	19.5	5.0	0.067	9.3 / 100.00%
Std. Error	0.1	0.3	0.008	0.2 / 0.00
Combined	19.6	4.9	0.064	9.3 / 100.00%

**Figure 11**